



ELSEVIER

Aquatic Botany 77 (2003) 339–340

**Aquatic
botany**

www.elsevier.com/locate/aquabot

Contents of *Aquatic Botany*, Volume 77

VOL. 77 NO. 1**SEPTEMBER 2003**

The use of pulse amplitude modulated fluorometry to determine fine-scale temporal and spatial variation of in situ photosynthetic activity within an <i>Isoetes</i> -dominated canopy I. Hawes (Hamilton, New Zealand), D. Sutherland (Christchurch, New Zealand) and D. Hanelt (Helgoland, Germany)	1
Genome size of Adriatic seagrasses J.D. Koce, B. Vilhar, B. Bohanec and M. Dermastia (Ljubljana, Slovenia)	17
The influence of burrowing thalassinid shrimps on the distribution of intertidal seagrasses in Willapa Bay, Washington, USA B.R. Dumbauld (Ocean Park, WA, USA) and S. Wyllie-Echeverria (Seattle, WA, USA)	27
Long-term responses of aquatic macrophyte diversity and community structure to variation in nitrogen loading M. Tracy, J.M. Montante, T.E. Allenson and R.A. Hough (Detroit, MI, USA)	43
Potential role of propagule banks in the development of aquatic vegetation in backwaters along navigation canals G. Boedeltje, J.P. Bakker and G.N.J. ter Heerdt (Haren, The Netherlands)	53

Short communication

Modification of the Hansatech FMS fluorometer to facilitate measurements with microalgal cultures M. Rech, J.-L. Mouget and G. Tremblin (Le Mans, France)	71
---	----

Guide for Authors

81

VOL. 77 NO. 2**OCTOBER 2003**

Scaling of ramet size and spacing in seagrasses: implications for stand development N. Marbà and C.M. Duarte (Espirles, Spain)	87
Phytoplankton and bacterioplankton production in a reed-covered water body L. Vörös, K. V.-Balogh, E. Koncz and A. Kovács (Tihany, Hungary)	99
Salinity as the major factor affecting <i>Scirpus maritimus</i> annual dynamics. Evidence from field data and greenhouse experiment A.I. Lillebø, M.A. Pardal, J.M. Neto and J.C. Marques (Coimbra, Portugal)	111
Seagrass (<i>Zostera marina</i> L.) bed recolonisation after anoxia-induced full mortality M. Plus (Arcachon, France), J.-M. Deslous-Paoli (Palavas-les-Flots, France) and F. Dagault (Saint-Malo, France)	121
Experimental studies on the recovery potential of submerged aquatic vegetation after flooding and desiccation in a large subtropical lake M.C. Harwell and K.E. Havens (West Palm Beach, FL, USA)	135

Plant reproduction in temporary wetlands: the effects of seasonal timing, depth, and duration of flooding N.W.M. Warwick and M.A. Brock (Armidale, Australia)	153
--	-----

VOL. 77 NO. 3**NOVEMBER 2003**

Spatial variation in the distribution and abundance of submersed macrophytes in an Australian subtropical river S.J. Mackay, A.H. Arthington, M.J. Kennard and B.J. Pusey (Nathan, Australia)	169
An evaluation of approaches used to determine the distribution and biomass of emergent and submerged aquatic macrophytes over large spatial scales C. Vis, C. Hudon and R. Carignan (Montréal, Canada)	187
Biotic and abiotic uptake of phosphorus by periphyton in a subtropical freshwater wetland L.J. Scinto (Miami, FL, USA) and K.R. Reddy (Gainesville, FL, USA)	203
Interference competition between <i>Ludwigia repens</i> and <i>Hygrophila polysperma</i> : two morphologically similar aquatic plant species R.D. Doyle, M.D. Francis (Denton, TX, USA) and R. Michael Smart (Lewisville, TX, USA)	223

Short communication

Effects of salinity changes on growth of <i>Ruppia maritima</i> L. M.K. La Peyre and S. Rowe (Baton Rouge, LA, USA)	235
--	-----

VOL. 77 NO. 4**DECEMBER 2003**

Hydrological and hydrochemical conditions characterising <i>Carex chordorrhiza</i> L. fil. (String Sedge) habitat in a Scottish riverine floodplain wetland M.P. Kennedy and K.J. Murphy (Glasgow, UK)	243
Aquatic plant communities and predictors of diversity in a sub-tropical river floodplain: the upper Rio Paraná, Brazil K.J. Murphy, G. Dickinson (Glasgow, UK), S.M. Thomaz, L.M. Bini (Maringá-PR, Brazil), K. Dick, K. Greaves, M.P. Kennedy, S. Livingstone, H. McFerran, J.M. Milne, J. Oldroyd and R.A. Wingfield (Glasgow, UK)	257
Seasonal dynamics of <i>Zostera caulescens</i> : relative importance of flowering shoots to net production M. Nakaoka (Chiba, Japan and Tokyo, Japan), N. Kouchi (Hokkaido, Japan and Tokyo, Japan) and K. Aioi (Tokyo, Japan)	277
Cryptic species in cyanobacterial systematics: a case study of <i>Phormidium retzii</i> (Oscillatoriaceae) using RAPD molecular markers and 16S rDNA sequence data D.A. Casamatta, M.L. Vis (Athens, OH, USA) and R.G. Sheath (San Marcos, CA, USA) .	295
Influences of salinity and shade on seedling photosynthesis and growth of two mangrove species, <i>Rhizophora mangle</i> and <i>Bruguiera sexangula</i> , introduced to Hawaii K.W. Krauss (Honolulu, HI, USA and Lafayette, LA, USA) and J.A. Allen (Honolulu, HI, USA and Paul Smiths, NY, USA)	311
Macrophyte colonization in a freshwater tidal wetland (Lyme, CT, USA) R.S. Capers (Storrs, CT, USA)	325
Contents of Aquatic Botany, Volume 77	339

